

.

---

**From:** Hanchett, James (DPH)  
**Sent:** Thursday, May 31, 2012 1:43 PM  
**To:** Nassif, Julianne (DPH)  
**Subject:** RE: copier

Hi Julie,  
The copier is in the Lab. We never shared a copier with BID.

Jim

---

**From:** Nassif, Julianne (DPH)  
**Sent:** Thursday, May 31, 2012 1:26 PM  
**To:** Hanchett, James (DPH)  
**Subject:** RE: copier

Jim,  
Is the copier in the lab or in the BID Office area?  
Julie

---

**From:** Hanchett, James (DPH)  
**Sent:** Friday, May 25, 2012 1:12 PM  
**To:** Nassif, Julianne (DPH)  
**Subject:** RE: copier

Hi Julie,  
The copier is leased.

Jim

---

**From:** Nassif, Julianne (DPH)  
**Sent:** Friday, May 25, 2012 11:38 AM  
**To:** Hanchett, James (DPH); Salem, Sharon (DPH)  
**Subject:** copier

Hello,  
I am in the process of preparing a list of assets that will be transferred to MSP in July. The analytical equipment is easy – I will send back the spreadsheet we prepared last year for you to review and update. Grace asked about the copier. Do we own that? BID/ UMASS? Is it a lease? Thanks, Julie

*Julianne Nassif*  
Director of Analytical Chemistry  
William A. Hinton State Laboratory  
Massachusetts Department of Public Health  
305 South Street Boston, MA 02130  
617.983.6651 (voice) 617.983.6662 (fax)